


Receiving Report

Date: 10/11/18 Batch No: M116178
 Supplier: ULBRICK Dart P/O: 12935
 Packing Slip: Yes No
 Invoice: Yes No
 Receipt: Cash Cr
 Release Note Attached: Yes No N/A
 Waybill Attached: Yes No
 Shipment Complete: Yes No N/A
 QC6 Inspection N/A
 Work Order N/A

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 

Production/Admin: 10/11/18
 Date
 Received/Costing
 Initial

Location

Purchase Order Receipt Listing

Page 1 of 1

Thursday, November 18, 2010 2:28:12 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO12935 Receipt Dates from 11/18/2010 to 11/18/2010 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID



Diversified Ulrich
26A Hymus Blvd
PTE. Claire, QC H9R 1C9,
Phone: (514)694-6522 Fax : (514)694-0266
Toll Free: (800)361-5950

PACKING LIST

Page: 1

I017868

SOLD TO:
00022279

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

SHIP TO:

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ON K6A 1K7

SPECIAL INSTRUCTIONS

SHIP T.S.T. GROUND

Contact: SUE BEDFORD (PA)

Ship Terms: COLLECT

MTR:Y

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO
CANADIAN DOLLARS	BOB MESSETT	(613) 632-5200	(613) 632-4443	PO12935

Sales Order	Terms	Ship Via	Date Ordered	Date Required	Date Shipped
W211772	NET 30 DAYS	COMMON CARRIER	11/16/10	11/18/10	11/18/10

Ordered	Back Ordered	Unit	Description	Bundle #	Heat #	Shipped
10	✓	PC	SSH T-304 EXP 16F x 3/4" x 48" 180 LB / 10 PC DIAMONDS MUST RUN ALONG 8' LENGTH 1 PALETTE. CERT. D'ANALYSE <i>10/11/18</i>	L008534	855679	10

Approx Weight: 180.0 LB 11/17/10 09:43:23

Received by: _____ Date: _____ Signature: _____

TENT 855649.PDF

Herstellerwerk / Manufacture's works / Usine productrice  ThyssenKrupp		Art der Prüfbescheinigung / Type of inspection document / Type du document ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION nach / according to / suivant EN 10204-3.1	Beschlechnungsdt. Document number Numéro de document 1000195995 /
ThyssenKrupp Nirosta		Seite / Page / Page: 1 / 1	
Oberschlesienstrasse 16, 47807 Krefeld THYSSENKRUPP NIROSTA NORTH AMERICA INC. 2275 HALF DAY ROAD, SUITE 300 BANNOCKBURN, IL 60015 USA		Besteller/Empfänger / Customer/Consignee / Acheteur/Destinataire THYSSENKRUPP NIROSTA, BANNOCKBURN, Kundenbestellnr. / Customer's order number / Numéro de la commande du client 51001382 - PO P00047 Werkauftragsnr. / Manufacturer's works order no / N° de la commande de l'usine productrice 900385849 / 002 Lieferanzeige Nr. / Delivery Note No. / Avis d'expédition N°. 87176434 / 010 Erzeugnis / Product / Produit BAND/COIL/ROULEAU	
Lieferbedingungen / Terms of delivery / Conditions de livraison ASTM A 240/A 240M ASME SA 240 Sec.II Part A Ed.07 SAE AMS 5513 H SAE AMS 5511 H		Stahlsorte und Gütegruppe / Steel grade and quality / Nuance de l'acier TYPE 304 L / 304	
Kundensmaterial-Nr. Customer's material number N° de matière du client		Maße des Erzeugnisses (Dicke / Breite / Länge) Product dimensions (Thickness / Width / Length) Dimensions du produit (Epaisseur / Largeur / longeur)	
Paket-Nr. Packung-No. N° de palette		Stückzahl No of pieces N° de pièces	
10/10/12		Gewicht Actual weight Masse effective	
0.0579 inch x 48.0000 inch		Ident-Nr. Erzeugnis Ident-No of product Ident-N° du produit	
		Schmelznr. Cast number Id. de la coulée	
		Proben-Id. Sample id. Empl du prélèvement	
		Proben-Id. Sample id. Empl du prélèvement	
		AOD	
		IIIC/2B	
Paket-Nr. Packung-No. N° de palette		Stockzahl No of pieces N° de pièces	
8021854		1	
		19.158 lbs	
		19.158 lbs	
Schmelznr./Cast no.		Chemische Zusammensetzung / Chemical composition / Composition chimique	
855679		% C % Si % Mn % P % S % Cr % Ni % N % Mo % Cu	
		0.021 0.43 1.23 0.029 0.0030 18.20 8.03 0.065 0.18 0.20	
Prüfung / Inspection lot Prüfungskontrolle Prüfungslage Abnahmeli.-Position Ident-Nr./empl du prélèvement		QUER	
		YS0,2% YS1,0 TS El.A2% HV	
Yield Strength PSI 41624		Tensile Strength PSI 46410	
		Elongation at Break %	
1002254740		56.8	
1002254741		160	
		167	
ASTM A 262 02e PRACTICE E I.O.		EN ISO 3651-2 I.O.	
Beständig gegen Interkrist. Korros./Resistant to intercrys. corros./Résistant à la corros. intercrist.:		I.O.	
Maße-Oberfläche/Dimensions-Surface/Dimensions-Surface:		I.O.	
Verwechslungsprüfung (Spektrenanalyse)/Test of identity/spectrum analysis/Contrôle d'identité/analyse spectrale:			
WAERMEBEHANDLUNG : 1050 GRAD C / LUFT			
TRAITEMENT TERMIQUE : 1050 GRAD C / AIR			
HEAT - TREATMENT : 1050 DEGREE / AIR			
Aussteller der Bescheinigung/ Originator of the document / Auteur du document ThyssenKrupp Nirosta GmbH Dieses Zeugnis wurde maschinell erstellt Werk Krefeld Abnahme		Stempel des (der) Abnahmeverantwortlichen Receiving agent's stamp Pointon de l'agent réceptionnaire QA Datum der Ausstellung und Bestätigung Date of issue and validation date d'émission et validation 09.04.2010	

f160027



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO12935

Purchase Order Date 11/16/10
PO Print Date 11/16/10

Page Number 1 of 1

Order From : VC-DIV001

DIVERSIFIED ULRICH
26A BLVD. HYMUS
POINTE-CLAIRe, QC H9R 1C9
CA

Contact Name	Buyer	Chantal Lavoie
Vendor Phone	Requisition Nbr	
Vendor Fax	Tax Resale Nbr	10127-2607
Vendor Account Nbr	Terms	Net 30
	Currency	CAD
	FOB	Destination-Collect

Ship To : DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
for [initials]

Line Nbr	Reference Revision ID	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	11/19/10 Yes	320.00 sf	TST ground	\$4.4500	\$1,424.00

Special Inst: MATERIAL: AISI 304/316 STAINLESS
STEEL
EXPANDED METAL DIAMONDS MUST
RUN ALONG 8' LENGTH
320 SF = 10 SHEET

[Signature]
PO Total: \$1,424.00


MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 11/16/10

SPECIFICATION CONTROL DRAWING



B

STYLE	SIZE OF DIAMOND ¹				SIZE OF STRAND				WEIGHT	
	"A"		"B"		WIDTH "W"		THICK		STD	FLAT
	STD	FLAT	STD	FLAT	STD	FLAT	STD	FLAT		
1/2-18	0.48	0.48	1.20	1.24	0.085	0.100	0.050	0.040	0.73	0.70
1/2-16	0.48	0.48	1.20	1.24	0.085	0.100	0.062	0.050	0.91	0.90
3/4-18	0.90	0.90	2.00	2.10	0.100	0.118	0.050	0.040	0.47	0.46
3/4-16	0.90	0.90	2.00	2.10	0.100	0.118	0.062	0.050	0.60	0.57
3/4-13	0.90	0.90	2.00	2.10	0.100	0.118	0.094	0.070	0.91	0.88
3/4-9	0.90	0.90	2.00	2.10	0.150	0.165	0.140	0.120	2.05	1.96

¹ A TOLERANCE OF +/-10% OR +/- 0.07 (MIN) IS PERMITTED

RELEASED
2010-05-26
AN

PURCHASE MATERIAL: AISI 304/316 STAINLESS STEEL EXPANDED METAL MESH
(REF. STAINLESS STEEL PER ASTM A240)

B SPECIFICATION: ASTM F1267 OR MIL-M-17194D

PART NUMBER: M304EXYY.TT | F
SIZE | GA

Y.YY = SIZE
TT = GAUGE THICKNESS OF METAL
F = FLATTENED (OPTIONAL)

EG. 3/4"-16F, EXPANDED, METAL MESH (FLATTENED) = M304EX0.75-16F

REFERENCE ONLY

B	REFORMAT DWG, ADD MIL/ASTM SPECS (ZN A8-1), ADD TABLE & DETAIL (ZN C6-1), REF NCR 09-090	CP	10.01.11
A	NEW ISSUE	DS	01.07.16
REV.	DESCRIPTION	BY	DATE
DESIGN	4	DART AEROSPACE LTD	
DRAWN	PP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	BB	DRAWING NO.	REV. B
MFG APPR.	BB	M304EX	SHEET 1 OF 1
APPROVED	MM	TITLE	SCALE
DE APPR.	MM	304/316 SS EXPANDED METAL MESH	NTS
DATE 10.01.11		COPRIGHT © 2001 BY DART AEROSPACE LTD. THIS DOCUMENT IS THE PROPERTY OF DART AEROSPACE LTD. IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

TRANSMISSION VERIFICATION REPORT

TIME : 11/16/2010 16:05
NAME
FAX
TEL
SER. # : F9N212739

DATE, TIME	11/16 16:04
FAX NO./NAME	15146940266
DURATION	00:00:18
PAGE(S)	01
RESULT	OK
MODE	STANDARD
	ECM



750-9641093 8

Manifest From - Manifest de	To - À	W211772	NS	11	17	10	
		Bill of Lading No. - N° Connaissement		M	D.J	Y.A	
Consignee - Consignataire		Shipper - Expéditeur	Purchase Order No. - N° de Commande		Origin	Dest.	C.D.
DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY, ON K6A 1K7		DIVERSIFIED ULRICH 26 A HYMUS BLVD POINTE CLAIRE, PQ H9R 1C9			MTL	MTL	8
							.00
					Declared Value - Valeur déclarée		
					Type - Genre	% Intér. - % Intér. Page	
					STD	0	01

Bill To - Facturer à

Origin Carrier - Premier Transporteur	O/C Pro No. - N° Facture P/T	M	D.J	Beyond Carrier - Transporteur subs.	S.R.	Amount - Montant
Pieces - Colis	H.M.	Description	Weight - Poids	Rate - Taux	Charges - Frais	
1		SKD NOIBN/NO DESCRIPTION + 1 ENVELOPPE FUEL SURCHARGE Printed on 11/17/2010 @ 16:04 ** COLLECT **	180		COLLECT COLLECT	

1 Total Pieces Coils total GST# 144612488

Total Weight Poids total 180

Total Charges Frais totaux COLLECT

E & OE	Print Last Name A TransForce Company	Connecting Carrier Please - Protect this Amount	Any loss or damage must be noted on pro bill at time of delivery, otherwise consignee's signature will constitute clear receipt.
		<input checked="" type="checkbox"/> SW INTACT <input type="checkbox"/> YES <input type="checkbox"/> NO	Toutes pertes ou dommages doivent être indiqués sur le comblage au moment de la livraison, autrement la signature du consignataire constituera un reçu final.
		<i>Signature</i>	<i>Signature</i>
		C.O.D. Total! P.S.L.	Cash or Certified Cheque Only - Driver Collect This Amount
		chèque visé ou argent comptant seulement - à percevoir par le chauffeur	

X Received in Apparent Good Order - Reçu sans Avoir Apparente Date: *18/11/10*

Time In *10:20* Time Out *10:20* Unit *Units* Driver - Chauffeur *[Signature]*

Terms Net 7 Days, Overdue Balance Subject to Interest Charges Conditions? Jours, compte en Souffrance Sujet à Intérêts

Signature Copy - Copie de Signature

OE-0981 04/06